

# LUPIN LIMITED

## SAFETY DATA SHEET

### Section 1: Identification

#### Section 1, Identification

<b>Material</b>	<b>Levonorgestrel and Ethinyl Estradiol Tablets USP</b> <b>0.05 mg/0.03 mg, 0.075 mg/0.04 mg and 0.125 mg/0.03 mg</b>
<b>Manufacturer</b>	<b>Lupin Limited</b> Pithampur (M.P.) – 454 775 INDIA
<b>Distributor</b>	Lupin Pharmaceuticals, Inc. 111 South Calvert Street, Harborplace Tower, 21st Floor, Baltimore, Maryland 21202 United States
	Tel. 001-410-576-2000 Fax. 001-410-576-2221

### Section 2: Hazard(s) Identification

#### Section 2, Hazard(s) identification

<b>Fire and Explosion</b>	Expected to be non-combustible.
<b>Health</b>	Combination oral contraceptives should not be used in women with any of the following conditions: Thrombophlebitis or thromboembolic disorders. A past history of deep-vein thrombophlebitis or thromboembolic disorders. Cerebral-vascular or coronary-artery disease. Thrombogenic valvulopathies. Thrombogenic rhythm disorders. Diabetes with vascular involvement. Uncontrolled hypertension. Known or suspected carcinoma of the breast. Carcinoma of the endometrium or other known or suspected estrogen-dependent neoplasia. Undiagnosed abnormal genital bleeding. Cholestatic jaundice of pregnancy or jaundice with prior pill use. Hepatic adenomas or carcinomas, or active liver disease, as long as liver function has not returned to normal. Known or suspected pregnancy. Hypersensitivity to any of the components of levonorgestrel and ethinyl estradiol tablets – triphasic regimen.

**Environment**

No information is available about the potential of this product to produce adverse environmental effects.

### Section 3: Composition/Information on Ingredients

**Section 3, Composition/information on ingredients**

<b>Ingredients</b>	<b>CAS</b>
Levonorgestrel USP	797-63-7
Ethinyl Estradiol USP	57-63-6

### Section 4: First-Aid Measures

**Section 4, First-aid measures**

<b>Ingestion</b>	If conscious, give water to drink and induce vomiting. Do not attempt to give any solid or liquid by mouth if the exposed subject is unconscious or semi-conscious. Wash out the mouth with water. Obtain medical attention.
<b>Inhalation</b>	Move individual to fresh air. Obtain medical attention if breathing difficulty occurs. If not breathing, provide artificial respiration assistance.
<b>Skin Contact</b>	Remove contaminated clothing and flush exposed area with large amounts of water. Wash all exposed areas of skin with plenty of soap and water. Obtain medical attention if skin reaction occurs.
<b>Eye Contact</b>	Flush eyes with plenty of water. Get medical attention.

**NOTES TO HEALTH PROFESSIONALS**

<b>Medical Treatment</b>	Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information center. Protect the patient's airway and support ventilation and perfusion. Meticulously monitor and maintain, within acceptable limits, the patient's vital signs, blood gases, serum electrolytes, etc.
--------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>OVERDOSAGE</b>	Serious ill effects have not been reported following acute ingestion of large doses of oral contraceptives by young children. Overdosage may cause nausea, and withdrawal bleeding may occur in females.
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Section 5: Fire-Fighting Measures

### Section 5, Fire-fighting measures

<b>Fire and Explosion Hazards</b>	Assume that this product is capable of sustaining combustion.
<b>Extinguishing Media</b>	Water spray, carbon dioxide, dry chemical powder or appropriate foam.
<b>Special Firefighting Procedures</b>	<p>For single units (packages): No special requirements needed.</p> <p>For larger amounts (multiple packages/pallets) of product: Since toxic, corrosive or flammable vapors might be evolved from fires involving this product and associated packaging, self-contained breathing apparatus and full protective equipment are recommended for firefighters.</p>
<b>Hazardous Combustion Products</b>	Hazardous combustion or decomposition products are expected when the product is exposed to fire.

## Section 6: Accidental Release Measures

### Section 6, Accidental release measures

<b>Personal Precautions</b>	Wear protective clothing and equipment consistent with the degree of hazard.
<b>Environmental Precautions</b>	For large spills, take precautions to prevent entry into waterways, sewers, or surface drainage systems.
<b>Clean-up Methods</b>	Collect and place it in a suitable, properly labeled container for recovery or disposal.

## Section 7: Handling and Storage

### Section 7, Handling and storage

<b>Handling</b>	<p>No special control measures required for the normal handling of this product.</p> <p>Normal room ventilation is expected to be adequate for routine handling of this product.</p>
<b>Storage</b>	<p>Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) [see USP Controlled Room Temperature].</p> <p>KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN.</p>

## Section 8: Exposure Controls/Personal Protection

### Section 8, Exposure controls/personal protection

Wear appropriate clothing to avoid skin contact. Wash hands and arms thoroughly after handling.

## Section 9: Physical and Chemical Properties

### Section 9, Physical and chemical properties

#### Physical Form

Levonorgestrel and ethinyl estradiol tablets USP (triphasic regimen) are available in a wallet containing 28 tablets (NDC 68180-857-11). Three such wallets are packed in a carton (NDC 68180-857-13). Each cycle contains 28 tablets as follows:

- Six light blue tablets containing 0.05 mg of levonorgestrel and 0.03 mg of ethinyl estradiol. The light blue tablets are round, uncoated, debossed with "LU" on one side and "W31" on the other side.
- Five white to off white tablets containing 0.075 mg of levonorgestrel and 0.04 mg of ethinyl estradiol. The white to off white tablets are round, uncoated, debossed with "LU" on one side and "W32" on the other side.
- Ten pink tablets containing 0.125 mg of levonorgestrel and 0.03 mg of ethinyl estradiol. The pink tablets are round, uncoated, debossed with "LU" on one side and "W33" on the other side.
- Seven orange inert tablets. The orange inert tablets are round, bevel edged, debossed with "LU" on one side and "T22" on the other side.

## Section 10: Stability and Reactivity

### Section 10, Stability and reactivity

Stable under recommended storage conditions.

## Section 11: Toxicological Information

### Section 11, Toxicological information

#### Carcinoma of the Reproductive Organs

A meta-analysis from 54 epidemiological studies reported that there is a slightly increased relative risk (RR=1.24) of having breast cancer diagnosed in women who are currently using combination oral contraceptives compared to never-users. The increased risk gradually disappears during the course of the 10 years after cessation of combination oral-contraceptive use. These studies do not provide evidence for causation. The observed pattern of increased risk of breast cancer diagnosis may be due to earlier detection of breast cancer in combination oral contraceptive users, the biological effects of

combination oral contraceptives, or a combination of both. Because breast cancer is rare in women under 40 years of age, the excess number of breast cancer diagnoses in current and recent combination oral contraceptive users is small in relation to the lifetime risk of breast cancer. Breast cancers diagnosed in ever-users tend to be less advanced clinically than the cancers diagnosed in never-users. Some studies suggest that oral-contraceptive use has been associated with an increase in the risk of cervical intraepithelial neoplasia or invasive cervical cancer in some populations of women. However, there continues to be controversy about the extent to which such findings may be due to differences in sexual behavior and other factors. In spite of many studies of the relationship between oral-contraceptive use and breast and cervical cancers, a cause-and-effect relationship has not been established.

## Section 12: Ecological Information

### Section 12: Ecological Information

No relevant studies identified.

## Section 13: Disposal Considerations

### Section 13: Disposal Considerations

Incinerate in an approved facility. Follow all federal state and local environmental regulations.

## Section 14: Transport Information

### Section 14: Transport Information

#### IATA/ICAO - Not Regulated

IATA Proper shipping Name	:	N/A
IATA UN/ID No	:	N/A
IATA Hazard Class	:	N/A
IATA Packaging Group	:	N/A
IATA Label	:	N/A

#### IMDG - Not Regulated

IMDG Proper shipping Name	:	N/A
IMDG UN/ID No	:	N/A
IMDG Hazard Class	:	N/A
IMDG Flash Point	:	N/A
IMDG Label	:	N/A

#### DOT - Not Regulated

DOT Proper shipping Name	:	N/A
DOT UN/ID No	:	N/A
DOT Hazard Class	:	N/A
DOT Flash Point	:	N/A
DOT Packing Group	:	N/A
DOT Label	:	N/A

## Section 15: Regulatory Information

### Section 15: Regulatory Information

This Section Contains Information relevant to compliance with other Federal and/or state laws.

## Section 16: Other Information

### Section 16, Other information

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.

**Lupin** shall not be held liable for any damage resulting from handling or from contact with the above product. Lupin reserves the right to revise this MSDS.