

LUPIN LIMITED

SAFETY DATA SHEET

Section 1: Identification

Section 1, Identification

Material	Memantine Hydrochloride Extended Release Capsules 7 mg, 14 mg, 21 mg and 28 mg
Manufacturer	Lupin Limited Pithampur (M.P.) – 454 775 India
Distributor	Lupin Pharmaceuticals, Inc. 111 South Calvert Street, Harborplace Tower, 21st Floor, Baltimore, Maryland 21202 United States Tel. 001-410-576-2000 Fax. 001-410-576-2221

Section 2: Hazard(s) Identification

Section 2, Hazard(s) identification

Fire and Explosion	Expected to be non-combustible.
Health	Memantine hydrochloride extended-release is contraindicated in patients with known hypersensitivity to memantine hydrochloride or to any excipients used in the formulation.
Environment	No information is available about the potential of this product to produce adverse environmental effects.

Section 3: Composition/Information on Ingredients

Section 3, Composition/information on ingredients

Ingredients	CAS
Memantine Hydrochloride USP	41100-52-1

Section 4: First-Aid Measures

Section 4, First-aid measures

Ingestion	If conscious, give water to drink and induce vomiting. Do not attempt to give any solid or liquid by mouth if the exposed subject is unconscious or semi-conscious. Wash out the mouth with water. Obtain medical attention.
------------------	--

Inhalation

Move individual to fresh air. Obtain medical attention if breathing difficulty occurs. If not breathing, provide artificial respiration assistance.

Skin Contact

Remove contaminated clothing and flush exposed area with large amounts of water. Wash all exposed areas of skin with plenty of soap and water. Obtain medical attention if skin reaction occurs.

Eye Contact

Flush eyes with plenty of water. Get medical attention.

NOTES TO HEALTH PROFESSIONALS**Medical Treatment**

Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information center. Protect the patient's airway and support ventilation and perfusion. Meticulously monitor and maintain, within acceptable limits, the patient's vital signs, blood gases, serum electrolytes, etc.

OVERDOSAGE

Signs and symptoms most often accompanying overdose with other formulations of memantine in clinical trials and from worldwide marketing experience, alone or in combination with other drugs and/or alcohol, include agitation, asthenia, bradycardia, confusion, coma, dizziness, ECG changes, increased blood pressure, lethargy, loss of consciousness, psychosis, restlessness, slowed movement, somnolence, stupor, unsteady gait, visual hallucinations, vertigo, vomiting, and weakness. The largest known ingestion of memantine worldwide was 2 grams in an individual who took memantine in conjunction with unspecified antidiabetic medications. This person experienced coma, diplopia, and agitation, but subsequently recovered.

One patient participating in a memantine hydrochloride extended-release clinical trial unintentionally took 112 mg of memantine hydrochloride extended-release daily for 31 days and experienced an elevated serum uric acid, elevated serum alkaline phosphatase, and low platelet count. Fatal outcome has been very rarely reported with memantine, and the relationship to memantine was unclear.

Because strategies for the management of overdose are continually evolving, it is advisable to contact a poison control center to determine the latest recommendations for the management of an overdose of any drug. As in any cases of overdose, general supportive measures should be utilized, and treatment should be symptomatic.

Elimination of memantine can be enhanced by acidification of urine.

Section 5: Fire-Fighting Measures

Section 5, Fire-fighting measures**Fire and Explosion Hazards**

Assume that this product is capable of sustaining combustion.

Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.

Special Firefighting Procedures

For single units (packages): No special requirements needed.
 For larger amounts (multiple packages/pallets) of product: Since toxic, corrosive or flammable vapors might be evolved from fires involving this product and associated packaging, self-contained breathing apparatus and full protective equipment are recommended for firefighters.

Hazardous Combustion Products

Hazardous combustion or decomposition products are expected when the product is exposed to fire.

Section 6: Accidental Release Measures

Section 6, Accidental release measures**Personal Precautions**

Wear protective clothing and equipment consistent with the degree of hazard.

Environmental Precautions

For large spills, take precautions to prevent entry into waterways sewers, or surface drainage systems.

Clean-up Methods

Collect and place it in a suitable, properly labeled container for recovery or disposal.

Section 7: Handling and Storage

Section 7, Handling and storage**Handling**

No special control measures required for the normal handling of this product.
 Normal room ventilation is expected to be adequate for routine handling of this product.

Storage

Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) [see USP Controlled Room Temperature].

Section 8: Exposure Controls/Personal Protection

Section 8, Exposure controls/personal protection

Wear appropriate clothing to avoid skin contact. Wash hands and arms thoroughly after handling.

Section 9: Physical and Chemical Properties

Section 9, Physical and chemical properties**Physical Form****7 mg Capsule**

Size '4' hard gelatin yellow capsule with yellow opaque cap and yellow opaque body, with black imprint "LU" on cap and "O61" on body.

Bottle of 30: NDC 68180-246-06

Bottle of 90: NDC 68180-246-09

Bottle of 500: NDC 68180-246-02

14 mg Capsule

Size '4' hard gelatin capsule with yellow opaque cap and dark green opaque body, with black imprint "LU" on cap and "O62" on body.

Bottle of 30:	NDC 68180-247-06
Bottle of 90:	NDC 68180-247-09
Bottle of 500:	NDC 68180-247-02
Blister of 10 X 10 Unit-Dose:	NDC 68180-247-13

21 mg Capsule

Size '4' hard gelatin capsule with white opaque cap and dark green opaque body, with black imprint "LU" on cap and "O63" on body.

Bottle of 30:	NDC 68180-248-06
Bottle of 90:	NDC 68180-248-09
Bottle of 500:	NDC 68180-248-02

28 mg Capsule

Size '3' hard gelatin dark green capsule with black imprint "LU" on cap and "O64" on body.

Bottle of 30:	NDC 68180-249-06
Bottle of 90:	NDC 68180-249-09
Bottle of 500:	NDC 68180-249-02
Blister of 10 X 10 Unit-Dose:	NDC 68180-249-13

Section 10: Stability and Reactivity

Section 10, Stability and reactivity

Stable under recommended storage conditions.

Section 11: Toxicological Information

Section 11, Toxicological information

Carcinogenesis, Mutagenesis, Impairment of Fertility

There was no evidence of carcinogenicity in a 113-week oral study in mice at doses up to 40 mg/kg/day (7 times the maximum recommended human dose [MRHD] on a mg/m² basis). There was also no evidence of carcinogenicity in rats orally dosed at up to 40 mg/kg/day for 71 weeks followed by 20 mg/kg/day (14 and 7 times the MRHD on a mg/m² basis, respectively) through 128 weeks.

Memantine produced no evidence of genotoxic potential when evaluated in the *in vitro* *S. typhimurium* or *E. coli* reverse mutation assay, an *in vitro* chromosomal aberration test in human lymphocytes, an *in vivo* cytogenetics assay for chromosome damage in rats, and the *in vivo* mouse micronucleus assay. The results were equivocal in an *in vitro* gene mutation assay using Chinese hamster V79 cells.

No impairment of fertility or reproductive performance was seen in rats administered up to 18 mg/kg/day (6 times the MRHD on a mg/m² basis) orally from 14 days prior to mating through gestation and lactation in females, or for 60 days prior to mating in males.

Section 12: Ecological Information

Section 12: Ecological Information

No relevant studies identified.

Section 13: Disposal Considerations

Section 13: Disposal Considerations

Incinerate in an approved facility. Follow all federal state and local environmental regulations.

Section 14: Transport Information

Section 14: Transport Information

IATA/ICAO - Not Regulated

IATA Proper shipping Name	:	N/A
IATA UN/ID No	:	N/A
IATA Hazard Class	:	N/A
IATA Packaging Group	:	N/A
IATA Label	:	N/A

IMDG - Not Regulated

IMDG Proper shipping Name	:	N/A
IMDG UN/ID No	:	N/A
IMDG Hazard Class	:	N/A
IMDG Flash Point	:	N/A
IMDG Label	:	N/A

DOT - Not Regulated

DOT Proper shipping Name	:	N/A
DOT UN/ID No	:	N/A
DOT Hazard Class	:	N/A
DOT Flash Point	:	N/A
DOT Packing Group	:	N/A
DOT Label	:	N/A

Section 15: Regulatory Information

Section 15: Regulatory Information

This Section Contains Information relevant to compliance with other Federal and/or state laws

Section 16: Other Information

Section 16, Other information

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.

Lupin shall not be held liable for any damage resulting from handling or from contact with the above product. Lupin reserves the right to revise this SDS.