CAPLIN STERILES LIMITED SAFETY DATA SHEET

Section 1: Identification

Identification

Material Thiamine Hydrochloride Injection

200 mg/2 mL (100 mg/mL)

Manufacturer Caplin Steriles Limited

Thiruvallur

Tamil Nadu - INDIA.

Distributor Lupin Pharmaceuticals, Inc.

111 South Calvert Street, Harborplace Tower, 21st Floor, Baltimore, Maryland 21202

United States

Tel. 001-410-576-2000 Fax. 001-410-576-2221

Section 2: Hazard(s) Identification

Hazard(s) identification

Hazard Statements May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause harm to breast-fed children.

Precautionary Statements Obtain special instructions before use

Do not breathe dust/fume/gas/mist/vapors/spray Avoid breathing dust/fume/gas/mist/vapors/spray Avoid contact during pregnancy and while nursing

Wash hands thoroughly after handling

Do not eat, drink or smoke when using this product

In case of inadequate ventilation wear respiratory protection

IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

IF exposed or concerned: Get medical advice/attention

If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician

Dispose of contents/container in accordance with Local, State, Federal and

Provincial regulations

Emergency Overview This product is intended for therapeutic use only when prescribed by a

physician. Potential adverse reactions from prescribed doses and

overdoses are described in the package insert

Route of Exposure Inhalation. Ingestion. Eye contact, Skin

Eye Contact with eyes may cause irritation

Skin May cause skin irritation

Inhalation May cause irritation of respiratory tract

Ingestion May cause irritation

Signs/Symptoms Adverse reactions from therapeutic doses include:

hypersensitivity or life-threatening anaphylactic reactions, collapse and death have been reported, feeling of warmth, pruritus, urticaria, weakness,

SDS : 249/00 Page 1 of 7

sweating, nausea, and restlessness, tightness of the throat, angioneurotic, edema, cyanosis, pulmonary edema, and hemorrhage into the

gastrointestinal tract.

Occupational exposure has not been fully investigated

Aggravation of preexisting

conditions

Individuals with a history of sensitivity to thiamine or to any of

the ingredients in this product.

Section 3: Composition/Information on Ingredients

Composition/information on ingredients

Chemical Name	CAS#	Ingredient Percent
Thiamine Hydrochloride	G67-03-8	100 mg/mL
Monothioglycerol	96-27-5	0.5 %
Chlorobutanol Hemihydrate	6001-64-5	0.5 %#
Water for Injection	7732-18-5	Quantity Sufficient

Note: # 0.525% of Chlorobutanol Hemihydrate is equivalent to 0.5% of Chlorbutanol anhydrous.

Section 4: First-Aid Measures

First-aid measures

Eve Contact Immediately flush eyes with plenty of water for at least 15 to 20 minutes.

Ensure adequate flushing of the eyes by separating the eyelids with fingers.

Get immediate medical attention

Skin Contact Immediately wash skin with plenty of soap and water for 15 to 20 minutes,

while removing contaminated clothing and shoes. Get medical attention if

irritation develops or persists.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration or

give oxygen by trained personnel. Seek immediate medical attention.

If conscious, flush mouth out with water immediately. Call a physician or Ingestion

> poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person.

Other First Aid For Adverse Event Information please call 91-4467901901/02/03

Section 5: Fire-Fighting Measures

Fire-fighting measures

Flash Point Not established

Flash Point Method Not established

Not established Auto Ignition Temperature

Not established Lower Flammable/Explosive Limit

Upper Flammable/Explosive Limit

Not established

Fire Fighting Instructions Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire

space without full protective gear. If possible, contain fire run-off water.

: 249/00 Page 2 of 7

Extinguishing Media Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or

spray when fighting fires involving this material.

Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment

Protective Equipment As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA /

NIOSH (approved or equivalent) and full protective gear.

Oxides of carbon, oxides of nitrogen and other organic substances may be formed. Other undetermined low molecular weight hydrocarbon compounds may be released in small quantities depending upon specific

conditions of combustion

Section 6: Accidental Release Measures

Accidental release measures

Personal Precautions Evacuate area and keep unnecessary and unprotected personnel from

entering the spill area.

Avoid personal contact and breathing vapors or mists.

Use proper personal protective equipment as listed in Section 8.

Environmental Precautions Avoid runoff into storm sewers, ditches, and waterways.

Methods containment Contain spills with an inert absorbent material such as soil, sand or oil dry.

Methods for cleanup Absorb spill with inert material (e,g., dry sand or earth), then place in a

chemical waste container. After removal, flush spill area with soap and water

to remove trace residue

Section 7: Handling and Storage

Handling and storage

Handling When handling pharmaceutical products, avoid all contact and inhalation of

vapor, mists and/or fumes.

Use with adequate ventilation. Use only in accordance with directions

Storage Store at 20° to 25°C (68° to 77° F) [see USP Controlled Room Temperature].

Protect from light.

Work Practices Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

Hygiene Practices Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid

inhaling vapor or mist

Section 8: Exposure Controls/Personal Protection

Exposure controls/personal protection

Use appropriate personal protective equipment for protection.

Engineering Controls General ventilation is sufficient if this product is being used in a controlled

medical setting (clinic, hospital, medical office) for its sole intended parenteral (injection) purpose. Otherwise, use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls including use of a biosafety cabinet / fume hood to

control airborne levels below recommended exposure limits

SDS : 249/00 Page 3 of 7

Eye/Face Protection Chemical splash goggles. Wear a face shield also when splash hazard exist

Skin Protection Description Protective laboratory coat, apron, or disposable garment recommended

Hand Protection Description Wear appropriate protective gloves. Consult glove manufacturer's data for

permeability data.

Nitrile rubber or natural rubber gloves are recommended

Respiratory protection No personal respiratory protective equipment is normally required when this

product is being used/administered by a licensed healthcare practitioner (i.e. an end-user such as a clinician / doctor /nurse) for its sole intended parenteral (injection) purpose in a controlled medical setting. The need for respiratory protection will vary according to the airborne concentrations and environmental conditions. A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain

circumstances

Other Protective Consult with local procedures for selection, training, inspection and

maintenance of the personal protective equipment

Section 9: Physical and Chemical Properties

Physical and chemical properties

How Supplied Thiamine Hydrochloride Injection, USP is a sterile, nonpyrogenic clear

colorless to pale yellow color solution supplied in multiple dose vials as

follows: NDC 70748-347-02 200 mg per 2 mL

Physical State Liquid solution Color Colorless

Boiling Point Not established

Melting Point 248°C

Solubility
Vapor Density
Vapor Pressure
Percent Volatile
pH
Soluble. in water
Not established
Not established
Not established
2.5 - 4.5

Molecular Formula Mixture
Molecular Weight 337.27

Flash Point Not established
Flash Point Method Not established
Auto Ignition Temperature Not established

Section 10: Stability and Reactivity

Stability and reactivity

Stable under normal temperatures and Stable under normal temperatures and pressures

pressures

Not reported Not reported

Exposure to light or heat may cause Exp

decomposition

Exposure to light or heat may cause decomposition

Section 11: Toxicological Information

Acute Toxicity Eye, skin, and respiratory irritation may occur

SDS : 249/00 Page 4 of 7

Thiamine Hydrochloride

Acute Toxicity Acute Toxicity:

LD50 IP Mouse: 200 mg/kg

Acute Effects Eye, skin, and respiratory irritation may occur

Chronic Effects Hypersensitivity reactions ranging from mild to severe may occur

RTECS Number XI7350000

Ingestion Oral - Rat LD50: 3710 mg/kg [Peripheral Nerve and Sensation - Spastic

paralysis with or without sensory change Behavioral - Tremor Lungs, Thorax,

or Respiration - Other changes]

Oral - Mouse LD50: 8224 mg/kg [Details of toxic effects not reported other

than lethal dose value]

Other Toxicological Information

Intravenous. - Rat LD50: 118 mg/kg [Details of toxic effects not reported other than lethal dose value] Intravenous. - Mouse LD50: 74 mg/kg [Details of toxic

effects not reported other than lethal dose value].

Intravenous. - Rabbit LD50: 117 mg/kg [Behavioral - muscle contraction or spasticity Lungs, Thorax, or Respiration - cyanosis Lungs, Thorax, or

Respiration - other changes]

Intravenous. - Guinea pig LD50: 140 mg/kg [Details of toxic effects not reported other than lethal dose value] Subcutaneous - Rat LD50: 560 mg/kg [Details of toxic effects not reported other than lethal dose value] Subcutaneous - Mouse LD50: 266 mg/kg [Details of toxic effects not reported

other than lethal dose value]

Subcutaneous - Guinea pig LD50: 872 mg/kg [Details of toxic effects not reported other than lethal dose value] Subcutaneous - Mouse TDLo: 11200 mg/kg/28D (intermittent) [Peripheral Nerve and Sensation - spastic paralysis with or without sensory change Sense Organs and Special Senses (Eye) - effect, not otherwise specified Behavioral - convulsions or effect on seizure threshold] Intraperitoneal. - Rat LD50: 481 mg/kg [Details of toxic effects not reported other than lethal dose value]

Intraperitoneal. - Mouse LD50: 200 mg/kg [Details of toxic effects not reported

other than lethal dose value]

Intraperitoneal. - Rat TDLo: 8540 mg/kg/28D (intermittent) [Related to Chronic

Data - death]

Monothioglycerol

RTECS Number TY8140000

Skin Administration onto the skin - Rat TDLo : 12 gm/kg/4W-I

[Endocrine - Changes in thyroid weight]

Other Toxicological Information Intravenous. - Rabbit LD50 : 250 mg/kg [Sense Organs and Special Senses

(Eye) - lacrimation

Behavioral - convulsions or effect on seizure threshold Behavioral - ataxia] Intraperitoneal. - Rat LD50 : 390 mg/kg [Sense Organs and Special Senses (Eye) - lacrimation Behavioral - convulsions or effect on seizure threshold

Behavioral - ataxia]

Intraperitoneal. - Mouse LD50 : 340 mg/kg [Sense Organs and Special Senses (Eye) - lacrimation Behavioral - convulsions or effect on seizure

threshold Behavioral - ataxia]

Chlorobutanol

RTECS Number UC0175000

Eye Rabbit, Mild irritation

Skin Rabbit, Mild irritation

SDS : 249/00 Page 5 of 7

Ingestion Oral - Rat LD50 : 510 mg/kg (RTEC)

Section 12: Ecological Information

Ecological Information

Ecotoxicity No ecotoxicity data was found for the product.

Environmental Stability No ecotoxicity data was found for the product.

Chlorobutanol

Ecotoxicity Fathead Minnow (Pimephales promelas) LC 50 (96hr) 135 mg/L (ECOTOX)

Biodegradation Not readily biodegradable (19% after 28 days).

Bioaccumulation Low potential to bioaccumulate (BCF : 1.5).

Section 13: Disposal Considerations

Disposal Considerations

Waste Disposal Dispose of in accordance with Local, State, Federal and Provincial regulations

Section 14: Transport Information

Transport Information

DOT Shipping Name Not Regulated
DOT UN Number Not Regulated

Section 15: Regulatory Information

Regulatory Information

Thiamine Hydrochloride

TSCA Inventory Status Listed
EINECS Number 200-641-8
Canada DSL Listed

Monothioglycerol

Listed

TSCA Inventory Status
EINECS Number
Canada DSL

202-495-0 Listed

Chlorobutanol

TSCA Inventory Status Listed
EINECS Number 200-317-6
Canada DSL Listed

Water for Injection

TSCA Inventory Status Listed
Canada DSL Listed

SDS : 249/00 Page 6 of 7

Section 16: Other Information

Other information

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.

Lupin shall not be held liable for any damage resulting from handling or from contact with the above product. Lupin reserves the right to revise this SDS.

SDS : 249/00 Effective Date : 28/09/2022 Page 7 of 7